



DECLARATION OF MANUFACTURER REGARDING TO BREEAM AND HQM SCHEMES

According to GN22 BREEAM and HQM recognized schemes for emissions from construction products v2.3 M1 Emission Classification of Building Materials is recognized to show compliance for general level criteria of emissions from building products, for following BREEAM and HQM schemes and assessment issues.

- SD5075 BREEAM International New Construction 2013 (Hea 02 Indoor air quality)
- SD5076 BREEAM UK New Construction 2014 (Hea 02 Indoor air quality)
- SD5077 BREEAM UK Domestic Refurbishment 2014 (Hea 03 Volatile organic compounds)
- SD216 BREEAM UK Non-Domestic Refurbishment and Fit-out 2014 (Hea 02 Indoor air quality)
- SD225 BREEAM International Non-Domestic Refurbishment and Fit-out 2015 (Hea 02 Indoor air quality)
- SD232 Home Quality Mark Beta 2015 (09 Indoor Pollutants)
- SD233 BREEAM International New Construction 2016 (Hea 02 Indoor air quality)
- SD5078 BREEAM UK New Construction 2018 (Hea 02 Indoor air quality)

General emissions criteria

Following products have compliance for general emission evaluation on BREEAM and HQM schemes above.

Product name	Certification
Intact 8	M1 Emission Classification of Building Materials
Intact 40	M1 Emission Classification of Building Materials
Intact Primer	M1 Emission Classification of Building Materials
Intact Laq 30	M1 Emission Classification of Building Materials



Tikkurila Group
Jarkko Mattila

14.10.2019

VOC content

Following products have compliance to TVOC-content requirements on BREEAM and HQM schemes above.

Product name	Product category	Maximum TVOC content criteria	Testing standard	VOC content
Intact 8	Interior trim and cladding paints for wood and metal	90 g/l	ISO 11890-2:2013 – Paints and varnishes – Determination of VOC content, Part 2 – Gas Chromatographic method	83 g/l
Intact 40	Interior trim and cladding paints for wood and metal	90 g/l	ISO 11890-2:2013 – Paints and varnishes – Determination of VOC content, Part 2 – Gas Chromatographic method	58 g/l
Intact Primer	Primers	15 g/l	ISO 11890-2:2013 – Paints and varnishes – Determination of VOC content, Part 2 – Gas Chromatographic method	1 g/l
Intact Laq 30	Interior trim varnishes and wood stains, including opaque wood stains	65 g/l	ISO 11890-2:2013 – Paints and varnishes – Determination of VOC content, Part 2 – Gas Chromatographic method	58 g/l

Protection against mould growth

Please check the technical data sheet of individual product for recommendations on the use in wet areas.

BR,

Jarkko Mattila
Export Director
TIKKURILA OYJ