

PRODUCT DATA SHEET

EVERBUILD® All Purpose Wallpaper Adhesive

POWDERED ADHESIVE FOR HANGING ALL TYPES OF WALL COVERINGS

PRODUCT DESCRIPTION

EVERBUILD® All Purpose Wallpaper Adhesive is a powdered adhesive which, when mixed with water, is suitable for hanging all common wallcoverings including sculptured, blown and textured vinyl, washable and heavy embossed. The product is also suitable for fixing polystyrene tiles. High tack combined with excellent adjustability. Contains a powerful fungicide.

USES

Suitable for hanging all types of wallcoverings including:

- Sculptured, blown and textured vinyl
- Washable and heavily embossed wallpaper
- Polystyrene tiles

CHARACTERISTICS / ADVANTAGES

- Easy-mix formula
- Contains a powerful fungicide to prevent mould growth during drying
- Works on most common wallcoverings
- High initial tack combined with easy maneuverability

PRODUCT INFORMATION

Packaging	Plastic bag with adhesive to hang 5 rolls and 10 rolls. Box with adhesive to hang 30 rolls.
Shelf Life	24 months from date of manufacture.
Storage Conditions	Store in cool dry conditions away from moisture and sunlight.
Density	1g/cm ³

APPLICATION INFORMATION

Mixing Ratio

The information given below is per individual sachet of paste powder:
For 10 rolls pack size

TYPE OF COVERING	QUANTITY OF WATER	APPROXIMATE COVER-AGE
For sizing	9.1 lt (16 pints)	28 m ² (300 sq. feet.)
Lightweight papers (in-cluding woodchip and lining paper)	6.8 lt (12 pints)	8 - 10 rolls
Washable papers and lightweight vinyls.	5.7 lt (10 pints)	8 rolls
Heavyweight vinyls e.g. Frescos, Tile on a Roll.	4.5 lt (8 pints)	6 rolls
Embossed papers e.g. Anaglypta	4.5 lt (8 pints)	3 - 4 rolls
Heavy embossed pa-pers, e.g. Supaglypta and luxury whites	4 lt (7 pints)	2 - 4 rolls
Polystyrene tiles	3.8 lt (6 2/3 pints)	14 m ² (150 sq. feet)

For 5 rolls and 30 rolls pack size

TYPE OF COVERING	QUANTITY OF WATER	APPROXIMATE COVER-AGE
For sizing	4.5 lt (8 pints)	14 m ² (150 sq. feet)
Lightweight papers (in-cluding woodchip and lining paper)	3.4 lt (6 pints)	4 - 5 rolls
Washable papers and lightweight vinyls.	2.8 (5 pints)	4 rolls
Heavyweight vinyls e.g. Frescos, Tile on a Roll.	2.3 lt (4 pints)	3 rolls
Embossed papers e.g. Anaglypta	2.3 lt (4 pints)	1.5 - 2 rolls
Heavy embossed pa-pers, e.g. Supaglypta and luxury whites	2 lt (3.5 pints)	1 - 2 rolls
Polystyrene tiles	1.3 lt (2 1/3 pints)	7 m ² (75 sq. feet)

APPLICATION INSTRUCTIONS

MIXING

The mixing ratio of powder to water depends on the type of wallcovering to be hung. See table above. Add 1 sachet of water to the desired amount of water. Stir briskly until the solution starts to thicken. Leave to stand for 3 minutes then re-stir.

LIMITATIONS

- Use only as directed
- Store in original container
- Dispose of product and packaging correctly
- It is the user's responsibility to determine suitability for use. If in doubt please contact technical services for advice.

VALUE BASE

All technical data stated in this Data Sheet are based on laboratory tests. Actual measured data may vary due to circumstances beyond our control.

LOCAL RESTRICTIONS

Note that as a result of specific local regulations the declared data and recommended uses for this product may vary from country to country. Consult the local Product Data Sheet for the exact product data and uses.

ECOLOGY, HEALTH AND SAFETY

For information and advice on the safe handling, storage and disposal of chemical products, users shall refer to the most recent Safety Data Sheet (SDS) containing physical, ecological, toxicological and other safety-related data.

LEGAL NOTES

The information, and, in particular, the recommendations relating to the application and end-use of Sika products, are given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Sika's recommendations. In practice, the differences in materials, substrates and actual site conditions are such that no warranty in respect of merchantability or of fitness for a particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any written recommendations, or from any other advice offered. The user of the product must test the product's suitability for the intended application and purpose. Sika reserves the right to change the properties of its products. The proprietary rights of third parties must be observed. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.

EVERBUILD BUILDING PRODUCTS LTD

Site 41, Knowsthorpe Way
Cross Green Industrial Estate
Leeds, LS9 0SW
Tel: 0113 240 3456
Web: www.everbuild.co.uk
Twitter: @everbuild

SIKA LIMITED

Watchmead
Welwyn Garden City
Hertfordshire, AL7 1BQ
Tel: 01707 394444
Web: www.sika.co.uk
Twitter: @SikaLimited

SIKA IRELAND LIMITED

Ballymun Industrial Estate
Ballymun
Dublin 11, Ireland
Tel: +353 1 862 0709
Web: www.sika.ie
Twitter: @SikaIreland

EVERBUILDAllPurposeWallpaperAdhesive-en-GBEVER-(05-2018)-1-1.pdf

Product Data Sheet
EVERBUILD® All Purpose Wallpaper Adhesive
May 2018, Version 01.01
020513040000000003