



TIKKURILA

# ULTRA EXTERIOR WOOD PAINTS

When only the best is enough

*Ultra house paints are available in 3 different gloss grades; Ultra Matt, Ultra Classic, semi-matt and Ultra Lux, gloss. Ultra Primer is a perfect primer for Ultra house paints. Ultra paints have guaranteed compatibility with the Tikkurila ProHouse -painting system.*

3 GLOSS GRADES

MATT

CLASSIC

LUX



# Tikkurila Ultra - the ultimate for exterior cladding

## Quality from Finland

Our 150 years of experience and a strong input to research and development of products provide a strong background for the renewal of the Ultra product family. Ultra-products are environmentally friendly, which perform outstandingly well on primed boards as well as on factory primed surfaces. You can also use the Ultra-products to give previously painted claddings a matt, semi-matt or gloss finish. For panels treated according to the Tikkurila ProHouse -system you will get a 15 years maintenance interval guarantee. ProHouse panels require only one finishing coat on site.

# A wooden house is an investment of your life - make sure that it retains its value

Wood is an ecological alternative when you are choosing the building material for a house. Building a house is an expensive project, and it is definitely worth using material of high quality. Ultra paint is the right choice when you appreciate excellent weather resistance and wish to maintain the colour and the gloss level for years. Our experience of Ultra paints over the last 20 years is the best reference of its weather resistance.





# Longer life for your wooden house

## When you are building a new house from factory finished boards

Remember that you can buy cladding boards also ready-painted. This is offered to you by the Tikkurila ProHouse wood treatment system. **Your benefits:**

- Only one finishing coat is needed on site.
- Lower labour costs, and keeping timetable on site will be easier.
- Less safety risks on site.
- Finishing with Ultra paint makes it possible to achieve even 15 years maintenance interval before re-painting.

## When you paint factory primed cladding

Sometimes the finishing on site of factory primed boards is delayed and the primed surface wears off due to being exposed to weathering. The priming coat can also be very thin, which does not protect the surface enough from weathering. For securing adequate adhesion and preventing seepage of extractives from the wood **we recommend intermediate painting with Ultra Primer, after which only one layer with the desired gloss grade of Ultra finishing paint will be enough.**

## When you paint untreated wood, remember 3 steps

1. **Priming with Valtti Pohjuste or Valtti Akvabase priming oil** as soon as possible - either before or without delay after assembly - ensures long maintenance intervals, and the surfaces will stay cleaner.
2. Primed surface should be finished as soon as possible. An opaque paint coat is the best protection against sun and weathering. The best and most durable result for primed surfaces is obtained with the combination of **Ultra Primer + Ultra** in the desired gloss grade. Ultra Primer prevents effectively the seepage of extractives from the wood and ensures the adhesion of the finishing paint.
3. The gloss level of **Ultra Matt** is near to the gloss of ProHouse factory finished cladding. **Ultra Classic** is semi-matt and represents the traditional Ultra house paint. **Ultra Lux** is a new, modern gloss house paint, which retains its gloss for years.

## When you repaint a previously painted cladding

After thorough pretreatment, finish the surface 1 - 2 times with Ultra house paint to the desired gloss grade.



## Primer & Intermediate



### ULTRA PRIMER

Water-borne primer and intermediate paint that strengthens adhesion. An intermediate paint applied on factory primed boards reduces the total costs of painting. Ultra Primer also prevents effectively the seepage of extractives from the wood !

**Examples of use:** for new, factory primed or previously painted exterior wooden surfaces before finishing with Ultra or Pika-Teho house paints.

**Colours:** tintable close to the colour of the finishing paint Wooden Facades colour card.

**Coverage:** approx. 4–9 m<sup>2</sup>/l

**Pack sizes:**  
0,9 l, 2,7 l, 9 l

**Tools:**  
brush (T3) or spray

**Cleaning of tools:**  
Tikkurila Tool Cleaner or soap and water

# Finishes



## ULTRA MATT

An attractive matt Ultra Matt is a water-borne and easy to apply polyacrylate paint for exterior painting of cladding. For new or previously painted wooden houses. The gloss grade corresponds to the gloss grade of cladding boards treated according to the Tikkurila ProHouse concept for factory primed boards.

**Examples of use:** untreated, factory primed or finished boards, or wood surfaces previously painted with exterior house paints.

**Colours:** Wooden Facades colour card.

**Coverage:** approx. 4–9 m<sup>2</sup>/l

### Pack sizes:

0.9 l, 2.7 l, 9 l, 18 l

### Tools:

brush (T3) or spray

### Cleaning of tools:

Tikkurila Tool Cleaner or soap and water



## ULTRA CLASSIC

The popular semi-matt water-borne Ultra Classic is a polyacrylate paint for exterior painting of cladding. For new or previously painted wooden houses. Ultra Classic has an excellent colour and gloss durability.

### Examples of use:

untreated, factory primed or finished boards, or wood surfaces previously painted with exterior house paints.

**Colours:** Wooden Facades colour card.

**Coverage:** approx. 4–9 m<sup>2</sup>/l

### Pack sizes:

0.9 l, 2.7 l, 9 l, 18 l

### Tools:

brush (T3) or spray

### Cleaning of tools:

Tikkurila Tool Cleaner or soap and water



## ULTRA LUX

Ultra Lux with its classic gloss is a water-borne polyacrylate paint. Ultra Lux stays clean for a long time and it has an excellent colour and gloss retention. It is also easy to apply.

### Examples of use:

untreated, factory primed or finished boards, or wood surfaces previously painted with exterior house paints.

**Colours:** Wooden Facades colour card.

**Coverage:** approx. 4–9 m<sup>2</sup>/l

### Pack sizes:

0.9 l, 2.7 l, 9 l, 18 l

### Tools:

brush (T3) or spray

### Cleaning of tools:

Tikkurila Tool Cleaner or soap and water



TIKKURILA

# Tikkurila always helps you - we support your success in painting:

- Colour scheme services and weatherproof colours
- Guides, brochures and colour cards and web pages offer a lot of information.
- Cladding boards painted according to the ProHouse concept and tinted to Tikkurila colours withstand direct weather stress while waiting for the finishing coat.
- Quality products which work from the bottom to the top, from untreated surface to maintenance painting.
- Suitable painting equipment



TIKKURILA OYJ

PL/PO Box 53, FI-01301 Vantaa, Puh./Tel. +358 20 191 2000

[www.tikkurila.com](http://www.tikkurila.com)